



Plan
Scale: 1:20



Section 'A-A'
Scale: 1:20

NOTES:

1. Concrete :
 - 1.1. $f'_c = 50\text{MPa}$, 10mm Aggregate (SCC)
 - 1.2. Demould = 15MPa Min.
 - 1.3. Lift & Rotate = 25MPa Min.
2. Reo :
 - 2.1. $f_y = \text{Grade 500E MA}$
 - 2.2. Reo Cover = 30mm Min.
 - 2.3. Tolerances for Reinforcement: As per NZS3109:1997 - Clause 3.9, and reproduced in DRG. no T6910 for reference.
 - 2.4. Min Lap Length : 40 x Bar Dia
 - 2.5. Do not re-bend reinforcing steel
3. Tolerances for Precast Components: As per NZS3109:1997 - Table 5.1
4. Design Load: -
5. Design Life: - Years
6. Exposure Classification: Internal = -, External = -
7. Finish: F3 as per NZS3114.


MATERIALS

VOL (m³/unit) = -m³
 WT (ton/unit) = - Tonnes
 CODE = As Noted

REVISIONS

REV #	REVISION DESCRIPTION:	DATE:	DRAWN:
6	Reo Design Amended - Issued For Construction	24 May 2023	Z.S
7	Cleaning Eye Code Updated	17 Dec 24	GH
---	---	---	---
---	---	---	---
---	---	---	---
---	---	---	---
---	---	---	---

PO Box 58142, Botany, Auckland, 2163
 Tel: 09-274 0316
 Fax: 09-272 7485
 email: technicalservices@hynds.co.nz



©2023 HYNDS PIPE SYSTEMS LTD
 This drawing is the property of Hynds Pipe Systems Limited. Not to be disclosed to any other person without permission from Hynds Pipe Systems Limited. It is submitted for use only in connection with proposals and contracts of Hynds Pipe Systems Limited upon the express condition that it is not to be reproduced or copied in any form. Data to be used only with reference to products manufactured and supplied by Hynds Pipe Systems Limited.

ISO 9001 CERTIFIED MANAGEMENT SYSTEM

PROJECT DESCRIPTION:

Hynds Stormwater
 -
 Smart Chamber System
 -

SERVICE DETAIL:

Smart Chamber
 Dual Flanged Base System
 -
 General Arrangement

REFERENCE/QUOTE NUMBER:

DRAWN: M.E	DESIGN: H.J	CHECKED: -
SIGNATURE:	SIGNATURE:	SIGNATURE:
SCALE: As Shown	Note: Do not scale drawing if in doubt ASK!!!	DATE: 27-Feb-25
PAPER SIZE: A3		
DRAWING NUMBER: T5274- 1	SHEET NUMBER: 1 of --	REVISION NUMBER: 7